



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

i. *A Catalogue of the FIFTY PLANTS from Chelsea Garden, presented to the ROYAL SOCIETY by the Company of Apothecaries, for the Year 1737. pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. & Soc. Reg. Præf. by Isaac Rand, Apothecary, F. R. S. Hort. Chel. Præf. ac Prælec. Botan.*

751. **A** CETOSA Ægyptia; roseo seminis involucro; folio lacero; *Lippi. D. Shaw Phyt. Afr. Spec. No. 5.*

752. *Adiantum nigrum*; radice prælonga, arbores annosas perreptante. *Griseb. Virid. Lusitan.*

Filicula Lusitanica; *Polypodii radice.* T. Inst. 541.

753. *Admirabilis Peruviana*; flore rubro. *Clus. rar. Plant. Hist. Lib. V. p. 89. Sloan. Cat. Jam. 91.*

754. *Androsæmum maximum* frutescens. C. B. 280.

755. *Aralia Canadensis.* T. Inst. 300.

Panaces καρπιμον sive racemosa, Canadensis. Cornut. 74.

756. *Astrantia major*; corona floris candida. T. Inst. 314.

757. *Astrantia major*; corona floris purpurascens. T. Inst. 314.

758. *Betonica Orientalis*; folio angustissimo, & longissimo; spica florum crassiori. T. Cor. 13.

759. *Bidens Americana* triphylla; foliis angustis, acutis.

Chrysanthemum Virginianum, folio acutiore lævi trifoliato; seu *Anagyridis* folio. H. Ox. III. p. 21.

760. *Campanula pentagonia*, perfoliata. Moris. H. Ox. II. 457.

761. *Cassine* vera perquam similis, *Arbuscula Phillyreæ* foliis antagonisticis. Ex Provincia Caroliniensi. Pluk. Mantiss. p. 40. Phytogr. Tab. 381. Fig. 3.

762. *Cepa fissilis*. Matthiol. 555.

763. *Cepa Ascalonia*. Matthiol. 556.

764. *Chenopodium Ambrosioides Mexicanum* fruticosum.

765. *Christophoriana Americana* procerior & longius spicata. Dillen. H. Elt. Tab. 67.

766. *Commelina angustifolia* procumbens.

767. *Dalea*. Dni. Millar inventoris.

768. *Dentaria bulbifera*. Lob. Icon. 687.

769. *Digitalis minima*, *Gratiola dicta*. H. Ox. Part. II. 479.

Gratiola Centauroides. C. B. 279.

770. *Elichrysum*; angustissimo folio. T. Inst. 452.

Stachas citrina tenuifolia altera, sive Italica. J. B. III. 155.

771. *Epimedium*. C. B. 323. Dod. 599.

772. *Eruca sylvestris*. Ger.

Eruca sylvestris tenuifolia perennis; flore luteo. J. B. II. 861.

773. *Eruca; Bellidis folio*. Mor. H. Ox. P. II. 231.

774. *Eupatorium cannabinum*. C. B. 320.

Eupatorium Avicennæ Officin.

775. Eu-

775. Eupatorium; folio oblongo rugoso; caule purpurascente. *T. Inst.* 456.

776. Fagopyrum erectum; feminibus ad angulos dentatis, spicatum nascentibus. *Ex Russia.*

777. Ficus Orientalis; foliis in lacinias angustas profunde incisiss.

The large white Turkey Fig.

778. Fumaria officinarum & Dioscoridis. *C. B.* 143.

779. Fumaria bulbosa; radice cava, major. *C. B.* 143.

780. Fumaria lutea. *C. B.* 143.

781. Fumaria semper virens & florens; flore albo. *Boerb. Ind. I.* 130.

782. Galeopsis patula segetum; flore purpurascente. *T. Inst.* 185.

Sideritis arvensis rubra. Park.

783. Hernandia; amplo Hederæ folio, umbilicato. *Plum. Nov. Gen.* 6.

Nux vesicaria oleosa, foliis umbilicatis, ex Insula Barbadosi. Pluk. Phyt. 208. Fig. 1.

784. Hypericum Androsæmum dictum. *J. B. III.* 382.

Androsæmum alterum hirsutum. Colum. Ec. 75.

785. Lycopersicon Galeni. *Ang.* 217.

786. Petiveria, Solani foliis; loculis spinosis. *Plum. Nov. Gen.* 50.

Verbenæ aut Scorodoniæ affinis anomala, flore albido; calyce aspero; Allii odore. Sloan. Cat. Jam.

64. Guinea Hen-weed. Hist. I. 172.

787. Pyrethrum Officinarum.

Pyrethrum flore Bellidis. *C. B.* 148.

*Chamæmelum specioso flore ; radice longa fer-
vida.* D. Shaw. Phyt. Afric. Spec. No. 138.

788. *Pyrethrum frutescens Canariense.*

*Leucanthemum Canariense ; foliis Chrysan-
themi ; Pyrethri sapore.* T. Inst. 666.

789. *Rapuntium Americanum, flore dilute cœ-
ruleo.* Ac. Reg. Par.

790. *Rapuntium Virginianum ; foliis oblongis ;
floribus parvis cœruleis, spica longissima laxa.*

191. *Reseda alba.* J. B. III. 467.

792. *Reseda crispa Gallica.* Bocc. Rar. 76.

793. *Solanum fruticosum bacciferum.* C. B. 166.

794. *Thlaspidium fruticosum ; Leucoii folio, sem-
per florens.* T. Inst. 214.

*Thlaspi fruticosum Persicum ; foliis Keiri, flore
odorato.* Zanon. 196.

795. *Trichomanes sive Polytrichum Officinarum.*
C. B. 356.

796. *Turritis vulgaris ramosa.* T. Inst. 224.

Pilosella siliquata Thalii. Tab. vii.

797. *Turritis Leucoii folio.* T. Inst. 224.

798. *Turritis Leucoii folio ; floribus amplioribus.*

799. *Ulmaria.* Clus. Hist. CXCVIII.

Barba Capræ floribus compactis. C. B. 164.

800. *Ulmaria ; floribus in longas spicas congestis.*
Boerb. Ind. Alt. 295.

Barba Capræ floribus oblongis. C. B. 163.